

Section 1. Identification

Product identifier : TapiGo

Other means of identification : Codes : 2005897, 2005898

Recommended use and restrictions on use : Carpet detergent

Supplier identifier : Les Produits Sanitaires Lépine inc.
1105 Bersimis
Chicoutimi, Qc
G7K 1A4
Phone : 418-545-0794
www.produitslepine.com

Emergency telephone number : CANUTEC : +1-613-996-6666 or *666 (cell phone)
24/7

Section 2. Hazard identification

Hazard classification of substance or mixture : EYE IRRITATION – Category 2

Label elements

Symbol(s) :



Signal word :

Warning

Hazard statement(s) :

Causes serious eye irritation.

Precautionary statement(s)

Prevention :

Wear eye protection. Wash hand thoroughly after handling.

Response :

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

Storage :

Not applicable

Disposal :

Not applicable

Section 3. Composition/information on ingredients

Substance/material : Mixture

Chemical name	Common name	% (w/w)	CAS number
Dipropylene glycol monomethyl ether	Glycol ether DPM	3 – 7	34590-94-8
Tetrasodium ethylenediamine tetraacetate	EDTA	1 – 5	64-02-8
Alcohol, C6-10, ethoxylated propoxylated		1 – 5	68987-81-5
Sodium xylene sulfonate	SXS	1 – 5	1300-72-7

The actual concentration or concentration range is withheld as a trade secret.

Based on current knowledge of the supplier and in the concentrations applicable, no other ingredients present are classified as hazardous to health or the environment therefore would require reporting in this section.

Occupational exposure limits, where available, are listed in section 8.

Section 4. First-aid measures

First-aid measures by route of exposure :

Eye contact :	Rinse cautiously with water for several minutes, lifting the eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice.
Inhalation :	Unlikely route of exposure considering the nature and use of the product. Remove person to fresh air if required.
Skin contact :	Rinse with plenty of water for a few minutes. If irritation occurs, get medical advice.
Ingestion :	Do not induce vomiting. Consult a doctor or poison center.

Most important symptoms and effects (acute or delayed)

Potential acute health effects

Eye contact :	Causes serious eye irritation. Adverse symptoms may include : pain, tearing, conjunctivitis.
Inhalation :	Unlikely route of exposure considering the nature and use of the product.
Skin contact :	May cause skin irritation.
Ingestion :	May cause irritation to the mouth and throat. Adverse symptoms may include : abdominal pain, diarrhea, nausea, vomiting.

Immediate medical attention and special treatment, if necessary

Note to physician :	Symptomatic treatment required. Contact the poison treatment specialist immediately if large amounts have been ingested or inhaled.
Specific treatments :	No special treatment.
Protection of first responders :	See section 8.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media :	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media :	None known.

Specific hazard arising from the hazardous product :

Hazardous combustion products :	If heated to decomposition, releases carbon oxides and nitrogen oxides.
Precautions for fire-fighters :	No special measures are required.
Protective equipment for fire-fighters :	It is important that firefighters wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a positive pressure face shield.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures :	Use appropriate personal protective equipment : respiratory protection, protective clothing, gloves and eye protection (see Section 8)
Methods and materials for containment and cleaning up :	Contain spill for neutralization, in order to prevent environmental contamination. Keep away from sewers or waterways. The small quantities must be removed, wiped and used, when it's possible. For general purpose cleaning, or drain in the sanitary sewers if the municipal and provincial regulations permit it. Recover the abundant quantities with vermiculite or all other absorbent, and eliminate as industrial waste. If the product flowed in the nature inform the municipal, provincial and federal authorities as required by law.

Section 7. Handling and storage

Precautions for safe handling

Protective measures :	Put on appropriate personal protective equipment (see Section 8).
Advice on general hygiene at work :	Refer to Section 8 for information on hygiene measures.
Conditions for safe storage (including incompatible materials) :	Keep out reach of children. Store in well closed container, away from strong oxidizing agents.

Section 8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits :

Name of product or ingredient	Exposure limits - ACGIH	Exposure limits - OSHA	Immediately dangerous to life or health - IDLH
Dipropylene glycol monomethyl ether	150 ppm – STEL 100 ppm - TWA	150 ppm – STEL 100 ppm - TWA	600 ppm
Tetrasodium ethylenediamine tetraacetate	None	None	None
Alcohol, C6-10, ethoxylated propoxylated	Not available	Not available	Not available
Sodium xylene sulfonate	Not available	Not available	Not available

Appropriate engineering controls : None required in normal use.

Individual protection measures

Hygiene measures :	Observe good personal hygiene measure.
Eye / face protection :	Wear eye protection such as protective glasses.
Skin protection :	
Hand protection :	Wear chemical resistant gloves.
Body protection :	None required in normal use.
Other skin protection :	None required in normal use.
Respiratory protection :	None required in normal use.

Section 9. Physical and chemical properties

Appearance :	Colourless liquid
Odour :	Floral
Odour threshold :	Not available
pH :	8,7 ± 0,4
Melting point/Freezing point :	± 0 °C
Initial boiling point :	± 100 °C
Flash point :	Closed cup : >93,3°C (>199,9°F)
Evaporation rate :	Not available
Flammability (solids and gases) :	Not applicable
Lower and upper flammability/explosive limit :	Not available
Vapour pressure :	Not available
Vapour density :	Not available
Relative density :	1,02 ± 0,01g/ml
Solubility :	Easily soluble in the following materials : cold and hot water
Partition coefficient n-octanol/water :	Not available

Auto-ignition temperature : Not available

Decomposition temperature : Not available

Viscosity : Not available

Section 10. Stability and reactivity

Reactivity : No specific test data to the reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: strong oxidizing agents.

Hazardous decomposition products : If heated to decomposition, releases carbon oxides, nitrogen oxides and other toxic vapours.

Section 11. Toxicological information

Information on toxicological effects

Toxicological data :

Name of product or ingredient	Result	Species	Dosage	Exposure	Observation
Dipropylene glycol monomethyl ether	LD50 Oral LD50 Dermal	Rat Rabbit	>5000 mg/kg 9510 mg/kg	- -	- -
Tetrasodium ethylenediamine tetraacetate	LD50 Oral LD50 Dermal	Rat Rabbit	3030 mg/kg >5000 mg/kg	- -	- -
Alcohol, C6-10, ethoxylated propoxylated	LD50 Oral LD50 Dermal LC50 Inhalation	Rat Rabbit Rat	2380 mg/kg >2000 mg/kg >50 ppm	- - 4 hours	- - -
Sodium xylene sulfonate	LD50 Oral LD50 Dermal	Rat Rabbit	7200 mg/kg >2000 mg/kg	- -	- -

Sensitization : No data available

Mutagenicity : No data available

Carcinogenicity : No data available

Toxicity to reproduction : No data available

Teratogenicity : No data available

Systemic toxicity for some target organs – single exposure : No data available

Target organ toxicity – repeated exposure : No data available

Route of exposure : Skin contact, eye contact, inhalation, ingestion.

Potential acute health effects

Eye contact : Causes serious eye irritation. Adverse symptoms may include : pain, tearing, conjunctivitis.

Inhalation : Unlikely route of exposure considering the nature and use of the product.

Skin contact : May cause skin irritation.

Ingestion : May cause irritation to the mouth and throat.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include : pain, tearing, conjunctivitis.

Inhalation : Unlikely route of exposure considering the nature and use of the product.

Skin contact : Adverse symptoms may include : irritation.

Ingestion : Adverse symptoms may include : abdominal pain, diarrhea, nausea, vomiting.

Delayed and immediate effects, and chronic effects from short-term and long-term exposure

Short-term exposure : No important effects or critical dangers known.
Long-term exposure : No important effects or critical dangers known.
Potential chronic health effects : No important effects or critical dangers known.

Numerical value of toxicity

Acute toxicity estimates

Route of exposure	ATE value
Oral	>5000 mg/kg
Dermal	>5000 mg/kg
Inhalation	>1000 mg/L

Section 12. Ecological information

Ecotoxicity :

Name	Results	Species	Exposure
Not available	Not available	Not available	Not available

Persistence and degradability : Not available
Bioaccumulative potential : Not available
Mobility in soil : Not available
Other adverse effects : Not available

Section 13. Disposal considerations

Disposal methods : It is important to minimize or avoid generation of waste wherever possible. Dispose of contents and container in accordance with all applicable local, state, and national regulations.

Section 14. Transport information

UN number : Not applicable
UN proper shipping name : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable
Special precautions : Transport with local users: Always transport in containers that are correct and secure. Ensure that persons transporting the product know what to do in case of accident or spillage.

Section 15. Regulatory information

The product classification and SDS were developed in accordance with the HPR.

Section 16. Other information

Procedure used to prepare the classification

Classification	Justification
EYE IRRITATION – Category 2	Calculation method

Prepared on : 2020-01-10

Edition : 01

Prepared by : The research and development department of Produits Sanitaires Lépine inc.

Legend of abbreviations :

- ATE = Acute toxicity estimate
- SDS = Safety Data Sheet
- UN = United Nations
- HPR = Hazardous Products Regulations
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- TDG : Transportation of Dangerous Goods
- CAS : Chemical Abstract Services
- TWA : Time-Weighted Average
- STEL : Short-Term Exposure Limit
- IDLH : Immediately dangerous to life or health
- LC : Lethal Concentration
- LD : Lethal Dose
- EC : Effective Concentration

Notice to reader :

To the best of our knowledge, the information contained in this document is accurate. However, neither the above supplier nor any of its branches can assume any responsibility whatsoever with regard to the accuracy or completeness of the information contained in this document. It is the exclusive responsibility of the user to determine the approval of the materials. All materials may present unknown hazards and should be used with caution. Although certain hazards are described in this document, we can not guarantee that there are no other hazards.